Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1-16 (Cancelled)

U

17. (Currently Amended) A method, comprising:
activating an idle storage device in a computer system to transfer data while a main
processor of the computer is system remains idle;

executing the data transfer to the storage device; and returning system resources to an idle state.

- 18. (Previously Presented) The method of claim 17, further comprising: buffering the data for transfer.
- 19. (Currently Amended) The method of claim 17, further comprising: detecting a request for data transfer to activate the idle storage device while the main processor of the computer system is idle.
- 20. (Previously Presented) The method of claim 19, wherein a controller activates the idle storage device by directing power to the device.
- 21. (Previously Presented) The method of claim 17, further comprising: tagging the transferred data for recognition.
- 22. (Previously Presented) The method of claim 17, further comprising: apportioning a system time and power resource based on the transferred data.
- 23. (Previously Presented) The method of claim 22, further comprising: returning the system resource to a pre-transfer state.
- 24. (Previously Presented) The method of claim 17, further comprising:

notifying a user of the computer system of the data transfer after the system is returned to an idle state.

11

28.

- 25. (Previously Presented) The method of claim 17, wherein the data is transferred wirelessly.
- 26. (Previously Presented) The method of claim 17, wherein the data is transferred via a low level data bus.
- 27. (Currently Amended) An apparatus comprising: means for activating an idle storage device in a computer system to transfer data while a main processor of the computer is system remains idle; means for executing the data transfer to the storage device; and
 - (Previously Presented) The apparatus of claim 27, further comprising:

means for returning system resources to an idle state.

means for buffering the data for transfer.

- 29. (Currently Amended) The apparatus of claim 27, wherein the means for activating the idle storage device comprise a controller that detects a request for data transfer while the main processor of the computer <u>system</u> is idle.
- 30. (Previously Presented) The apparatus of claim 29, wherein the controller activates the idle storage device by directing power to the device.
- 31. (Previously Presented) The apparatus of claim 27, wherein the data is transferred wirelessly.
- 32. (Previously Presented) The apparatus of claim 27, wherein the data is transferred via a low level data bus.

33. (Currently Amended) A machine-readable medium having executable instructions to cause a processor to perform a method, the method comprising:

activating an idle storage device in a computer system to transfer data while a main processor of the computer is system remains idle;

executing the data transfer to the storage device; and returning system resources to an idle state.

34. (Previously Presented) The machine-readable medium of claim 33, wherein the method further comprises:

buffering the data for transfer.

1

- 35. (Currently Amended) The machine-readable medium of claim 34, wherein the idle storage device is activated by a controller that detects a request for data transfer while the main processor of the computer <u>system</u> is idle.
- 36. (Previously Presented) The machine-readable medium of claim 33, wherein the method further comprises:

apportioning a system resource based on the transferred data.

37. (Previously Presented) The machine-readable medium of claim 36, wherein the method further comprises:

returning the system resource to a pre-transfer state.

38. (Currently Amended) A computer system comprising:

a processor coupled to a memory through a bus;

a unit to activate a storage device in a computer system to transfer data while the processor is remains idle, the unit to

execute the data transfer to the storage device, and the unit to return system resources to an idle state.

39. (Previously Presented) The system of claim 38, further including a buffer to store data to be transferred.

40. (Currently Amended) The system of claim 38, further including a unit to detect a request for data transfer to activate the idle storage device while the main processor of the computer system is idle.